

DISPOSABLE FOAM EARPLUGS

NRR 33 dB

6620 Goin' Green Uncorded



6622 Goin' Green Corded

SOFT COMFORTABLE FIT

Moldex® Goin' Green® foam earplugs are made of extra-soft, extra light foam. Their tapered shape fits easily in the ear canal, allowing them to seal gently and snugly without uncomfortable pressure. Plus, the outer surface of the earplug is smooth, so it doesn't irritate the ear canal. They're so comfortable you'll forget you're wearing earplugs.

INDEPENDENTLY TESTED: NRR 33

Goin' Green earplugs offer a high NRR 33, making them suitable for most noisy environments. So, while they look like fun, they provide serious protection.

AVAILABLE IN PLUGSTATION DISPENSER

Moldex offers the convenience, increased compliance and cost savings of our popular earplug dispenser, the PlugStation,® with Goin' Green foam earplugs, Uncorded. With the PlugStation, you can afford to put earplugs in all the places they're needed. PlugStation's convenience, ease of use, and high visibility lead to higher compliance and by giving quick acces to workers It also saves worktime.

- Compliance High visibility to increase awareness for your hearing conservation program.
- Convenience Hang a PlugStation anywhere plugs are needed.
- Cost Savings Workers take one pair at a time so there are no wasteful grabbing of multiple pairs.

FEATURES

- 100% PVC-Free.
- Highest independently tested NRR 33 rating.
- Extra-soft, low-pressure foam for comfort and fit.
- Tapered shape for easy insertion and removal.
- Shaped to fit even very small ear canals.
- Non-irritating smooth surface.
- Look for the bright green color as a symbol of Moldex quality.



6647 Goin' Green PlugStation Uncorded



6646 Goin' Green PlugStation Uncorded





DISPOSABLE FOAM EARPLUGS

PART # / DESCRIPTION	DISPLAY	CASE			
6620 Goin' Green, Uncorded	200 Pairs per Box	10 Boxes per Case			
6622 Goin' Green, Corded	100 Pairs per Box	20 Boxes per Case			
6646 Goin' Green, PlugStation	250 Pairs per Dispenser	6 Dispensers per Case			
6647 Goin' Green, PlugStation	500 Pairs per Dispenser	4 Dispensers per Case			

ATTENUATION DATA

Tested According to ANSI Specs S3.19-1974 Michael & Assoc., State College, PA.

Frequency (Hz)	125	250	500	1000	2000	3150	4000	6300	8000		
Mean Attenuation (dB)	42.3	43.7	46.6	40.9	38.6	44.7	46.9	49.3	48.3	NRR 33	CSA
Standard Deviation (dB)	5.0	6.0	5.8	4.2	2.8	3.2	3.3	4.2	3.6		AL

WARNING TO USER

- Use these laboratory derived attenuation data for comparison purposes only.
 The amount of protection afforded in field use often is significantly lower depending upon how the protectors are fitted and worn.
- 2. Failure to obtain a proper fit will reduce effectiveness of hearing protectors and could result in hearing loss or injury.
- 3. Over protection can be dangerous. The wearer must be able to hear warning signals.
- 4. Wearers with hearing loss should exercise extreme caution.
- 5. It is the employer's responsibility to ensure that the type of hearing protector and its rating is appropriate for the user in their particular workplace.
- Failure to follow all instructions and warnings could result in increased risk of hearing loss, serious injury or death.
- Use caution when working around machinery or any other equipment to ensure neck cord does not become caught or entangled.
- 8. Goin' Green foam earplugs must only be used as part of a hearing conservation program that complies with applicable local safety and health regulations.

MOLDEX TECHNICAL ASSISTANCE

Moldex provides all of the technical assistance required to set up a hearing protection program. For more information call +1 (800) 421-0668 or +1 (310) 837-6500 ext. 512/550 or E-mail: tech@moldex.com or visit www.moldex.com.

Keep earplugs away from infants and small children as they may get caught in the windpipe and create a choking hazard.



DISTRIBUTED BY:



MOLDEX-METRIC, INC.

10111 Jefferson Blvd. Culver City, CA 90232 TEL: +1 (800) 421-0668 or +1 (310) 837-6500

FAX: +1 (310) 837-9563 E-mail: sales@moldex.com www.moldex.com

CANADIAN CUSTOMER SERVICE

Tel: +1 (800) 421-0668, Ext. 550 Fax: +1 (310) 837-9563







