


# DRIFIRE FR Hi-Vis Utility Shirt - Type R Class 3



## Specs

Product Code DF2-AX3-324LS-HY-\_\_

Sizes SM-3X, RG | MD-3X, TL

Stock Colors



Fabric / Material 7 oz. DRIFIRE® Twill

## Compliance

---

Arc Rating 12 cal/cm<sup>2</sup>

CAT Level CAT 2

ANSI Type / Class Type R Class 3

Standards

- NFPA 70E
- ANSI/ISEA 107 Type R Class 3
- ASTM F1506
- CSA Z462
- OSHA 1910.269

## Features

---

Features

- Inherently flame resistant, FR protection will not wash/wear out
- Unsurpassed moisture wicking and drying rate
- Odor control technology
- Features two chest pockets with button flap closure and pen slot
- 3M Scotchlite™ FR silver segmented reflective trim
- Quickly identify compliance with exterior labeling
- FR fabric will not melt, drip, or ignite
- Breathable performance fabric for maximum comfort
- Gap for logo on the left chest
- Made in the USA

## Product Care

---

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners. DO NOT iron.
- Wash/Laundrying Instructions: Machine wash warm. Tumble dry low.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundrying, it is best to discontinue use of garment.

## Sizing Chart

---

**DRIFIRE® Hi-Vis Work Shirts**

Size	Chest	Sleeve Length
SM	41.5"	34"
MD	45.5"	34.5"
LG	49.5"	35"
XL	53.5"	35.5"
2X	57.5"	36"
3X	61.5"	36.5"

