

Universe	Sport
Туре	Verticality
Category	Belay devices and descenders
Subcategory	Belay devices with assisted braking




GRIGRI® +

GRIGRI + is a belay device with assisted braking and anti-panic handle. Compatible with single ropes from 8.5 to 11 mm. Its wear plate makes it suitable for intensive use, both in the gym and at the crag. The design of the handled camming mechanism enables exceptional descent control. The selector knob allows you to choose between two belay modes: top-rope or lead climbing. The top-rope mode and the anti-panic handle make the GRIGRI + particularly suitable for learning how to belay.



Rope installation diagram engraved on both the interior and exterior of the device.



The design of the handled camming mechanism enables exceptional descent control. Handle with anti-panic function.



Top-rope or lead belay mode is chosen with selection knob.



Great durability, for intensive use, thanks to the stainless steel wear plate.



Short Description	Belay device with assisted braking and anti-panic handle, for a broad range of single rope diameters (8.5 to 11 mm)
Selling Points	 Belay device with assisted braking, compatible with a broad range of single rope diameters, for both gym and crag: feeding slack and catching falls are done using standard belay techniques; always keep a hand on the brake side of the rope belaying convenience, thanks to assisted braking: when a climber falls, the device pivots on the carabiner, the rope tightens and the cam pinches and brakes the rope. Holding the brake side of the rope helps engage the cam; therefore, it is important to always hold the brake side of the rope compatible with dynamic single ropes 8.5 to 11 mm, optimized for 8.9 to 10.5 mm rope installation diagram engraved on both the interior and exterior of the device great durability, for intensive use, thanks to the stainless steel wear plate Exceptional convenience when lowering: the ergonomic handle allows you to easily unblock the rope and lower someone easily controlled, progressive rope feed provides a smooth and comfortable descent Particularly suitable for learners and for instructors: anti-panic handle: if the user pulls too hard on the handle, the anti-panic function engages and stops the descent the selector knob enables the choice of either top-rope or lead belay mode. The top-rope belay mode facilitates taking in slack and makes for a more comfortable belay it is possible to lock the belay mode
Specification	 Weight: 200g Rope compatibility: 8.5 to 11 mm single rope Material(s): aluminum side plates, stainless steel friction plate, cam and wear plate, reinforced nylon handle Certification(s): CE EN 15151-1, UIAA

Specifications by reference

Reference(s)	D13A G	D13A AG	D13A VI
		(C)	
Color(s)	gray	orange	violet
Made in	FR	FR	FR
Guarantee	3 years	3 years	3 years
Packing	1	1	1
Case quantity	17	17	17
EAN	3342540106536	3342540106543	3342540106550

Related product(s)

Sm'D CONTACT® 9.8 mm MAMBO® 10.1 mm

