

# HYDROflash FR Foul Weather Bib - Navy



## Specs

Product Code HYDROFLASHB-N-\_\_

Sizes SM-3X | Other sizes available upon request

Made To Order Colors



Fabric / Material GORE-TEX PYRAD® Polyester on PTFE & DuPont™ Nomex® Knit

# Compliance

---

Arc Rating	15 cal/cm²
CAT Level	CAT 2
Standards	<ul style="list-style-type: none"><li>• ASTM F2733</li><li>• ASTM F1891</li><li>• CSA Z462</li><li>• ASTM F903</li><li>• OSHA 1910.269</li><li>• Gas Probe Shirley Method 138:2000, EN 1149-3/2004 &amp; EN 1149-5/2008</li><li>• CSA Z96 Class 2</li></ul>

# Features

---

Features	<ul style="list-style-type: none"><li>• HYDROFlash FR™ (2 Layer PYRAD) is the lightest weight waterproof, breathable Flash Fire rated garment available</li><li>• Lightweight, breathable, and fast drying</li><li>• 100% waterproof and windproof</li><li>• Resists cold cracking in low temperatures</li><li>• Hot liquid and steam resistant</li><li>• Petroleum and oil-based mud resistant</li><li>• 3M™ Scotchlite™ FR silver segmented reflective trim</li><li>• Chest pocket, 2 lower cargo pockets, and zip fly</li><li>• Zippered leg opening with hook and loop strap</li><li>• Jacket with Bib ensembles are Compliant to CSA Z96 Class 3</li><li>• Made in the USA</li></ul>
----------	---

# Product Care

## Product Care

- READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use bleach or hydrogen peroxide. DO NOT use fabric softeners.
- Wash/Laundrying Instructions: Wash separately from other garments. Machine wash warm (max. 120°F/50°C) using mild detergent. Rinse 4 times (adding extra rinse to standard 3-rinse cycle) to remove all soil and detergent residues. Dawn Dish Liquid is recommended for oil based stains. Pre-treat the area, soak for stubborn stains or mild stain treatments may be used. Ensure the product is completely rinsed from the fabric before drying.
- Drying: Turn garment inside out before drying. Tumble dry using permanent press setting (medium). Tumble drying is recommended to protect garment's water repellent treatment.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

# Sizing Chart

HYDROflash FR™ Bib		
Size	Inseam - Regular	Waist
SM	32"	28" - 30"
MD	32"	32" - 34"
LG	32"	36" - 38"
XL	32"	40" - 42"
2X	32"	44" - 46"
3X	32"	48" - 50"