

Universe	Professional
Type	Verticality
Category	Pulleys
Subcategory	Haul kit



JAG SYSTEM

The JAG SYSTEM haul kit for pickoffs, making a releasable anchor, or tensioning a system, thanks to its 4:1 mechanical advantage and excellent efficiency (sheaves with sealed ball bearings). The collapsed kit is highly compact, allowing it to be used even when the distance to the anchor is very short. The JAG SYSTEM haul kit is quick and easy to deploy: it is ready to use thanks to the flexible cover that prevents any risk of tangling. The haul end is color-coded for instant identification. It is available in three lengths: 1, 2 and 5 meters.



The JAG SYSTEM kit is always ready to use, thanks to the flexible cover that prevents any risk of tangling.



The JAG SYSTEM kit is highly compact, allowing it to be used even when the distance to the anchor is very short.

Short Description Haul kit

Selling Points

- Versatile:
 - allows pickoffs, making a releasable anchor, tensioning a system...
 - can be coupled with an I'D descender to make a reversible rescue kit to pick off and evacuate a victim
- Hauling effectiveness:
 - 4:1 mechanical advantage allows user effort to be divided by 4
 - excellent efficiency due to sheaves mounted on sealed ball bearings
 - deployment possible even when the distance to the anchor is very short, thanks to the extreme compactness of the collapsed system
 - 8 mm lightweight rope The mechanical advantage guarantees a good grip.
- Quick and easy to deploy:
 - kit always ready to use, thanks to the flexible cover that prevents any risk of tangling
 - haul end immediately identifiable, thanks to the yellow color of the end of the cover
 - the ends of the cover hold the connectors in position to facilitate clipping
- Comes with two Am'D TRIACT-LOCK auto-locking carabiners
- Available in three lengths: 1, 2 and 5 m
- JAG and JAG TRAXION pulleys also available separately for making long haul systems (e.g. confined space descent/ascent system)

Specification

- Material(s): aluminum, nylon, polyurethane
 - Rope diameter: 8 mm
 - Certification(s): EAC
 - Sheave type: sealed ball bearings
 - Working load: 6kN
 - Breaking strength: 16kN
 - Efficiency: 91%
-

Specifications by reference

Reference(s)	P044AA00	P044AA01	P044AA02
Deployed length	1 m	2 m	5 m
Collapsed length	0,32 m	0,34 m	0,40 m
Weight	610 g	805 g	1460 g
Made in	FR	FR	FR
Guarantee	3 years	3 years	3 years
Packing	1	1	1
Case quantity	10	8	5
EAN	3342540817593	3342540817609	3342540817616

Spare part(s) JAG
JAG TRAXION
Am'D

Related product(s) I'D S
SWIVEL OPEN