



## Neshoba™ ANSI • CE • CSA •

Frameless design with thin flexible temples // Ultra lightweight spectacle  
– 16 gm

### Black Temples | 10 Variations

	S9710S ●●●	Clear
	S9710ST ●●●	Clear H2X AF
	S9710STM ●●●	Clear H2MAX AF
	S9720S ●●●	Gray
	S9720ST ●●●	Gray H2X AF
	S9720STM ●●●	Gray H2MAX AF
	S9730S ●●●	Amber
	S9760S ●●●	Infinity Blue
	S9770S ●●●	Silver Mirror
	S9780S ●●●	I/O Mirror



### General Specifications

Weight: 16 gm  
 PD: 64 mm  
 Bridge: 12.3 mm  
 Lens base: 9.5 curve  
 Lens size diagonal: 75.8 mm  
 Lens size vertical: 43.3 mm  
 Lens thickness: 1.6 mm  
 Overall length [lens - tip]: 151 mm  
 Overall width [hinge - hinge]: 135 mm  
 Closest point between temple tips: 78 mm  
 Closest point between lens: 14.5 mm

### Lens Marking Symbols

P: Manufacturer's mark  
 Z87: ANSI standard for eye and face protection devices  
 +: High impact  
 X: Tested Anti-fog  
 S: Special Purpose  
**UV Filter Transmittance**  
 U6: .01% max effective far UV • .1% max near UV  
**Visible Light Filters**  
 L1.7: 55% max. visible light  
 L2.5: 29% max visible light

### Part No.

S9710S  
 S9710ST  
 S9710STM  
 S9720S  
 S9720ST  
 S9720STM  
 S9730S  
 S9760S  
 S9770S  
 S9780S

### Lens Marking

P Z87 + U6  
 P Z87 + U6  
 P Z87 + U6 X  
 P Z87 + U6 L2.5  
 P Z87 + U6 L2.5  
 P Z87 + U6 L2.5 X  
 P Z87 + U6  
 P Z87 + S  
 P Z87 + S  
 P Z87 + U6 L1.7

### Temple Marking

P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3  
 P Z87 + / P c SEI Z94.3

### Materials

Lens: polycarbonate  
 Temples: polycarbonate  
 Hinge: polycarbonate  
 Screw: stainless steel

### Temple Marking Symbols

P: Manufacturer's mark  
 Z87: ANSI standard for eye and face protection devices  
 +: High impact  
 c SEI Z94.3: CAN/CSA standard for eye and face protection devices