



**MCR
SAFETY**

H1N FR Gear

Specification Sheet

PRODUCT DESCRIPTION:

Whether working in the rugged oil and gas industry or spending your day working near electrical hazards, stay safe and comfortable in MCR Safety's FR Gear made with Max Comfort™ fabrics. The H1 Henley Shirt features a 100% FR Cotton material for Maximum Comfort. The Max Comfort™ material meets the NFPA 2112-2018 Standard for Flame Resistant Garments and NFPA 70E Standard for Electrical Safety in the Workplace. All MCR Safety's FR Garments are UL Certified and have a lifetime FR guarantee.

Available in Gray, Navy and Tan

FEATURES:

- Max Comfort™ Fabric NFPA 2112 UL Certified
- All Trims are NFPA 2112 UL Certified
- ASTM F1506 Electric Arc Protection Standard
- NFPA 70E HAZARD, HRC 2
- ATPV ASTM 1959 9.6 cal/cm², HRC 2
- Henley is UL & NFPA 2112 certified
- **Max Comfort™ 7.0 oz. 100% Cotton FR interlock knit shell**
- Comfortable raglan sleeves
- 3 button placket front
- Left chest pocket
- Fabric is moisture wicking and breathable
- Rib knit collar and cuff
- Hi-temperature FR poly buttons



APPLICATIONS:

Oil and Gas Industry, Utilities, Electronic Assembly, Fracking, Mining

TECHNICAL DATA FOR: H1N

Category	FR Gear	NFPA 2112-2018 Certified	Yes
Size	L	NFPA 70E-2018 Certified	Yes
Material	Flame Resistant, 100% Cotton	ASTM 1930 Cert.	Yes

MCR Safety - 1255 Schilling Blvd. W. - Collierville, TN 38017 - USA

Phone: 901-795-5810 - Toll Free: 800-955-6887 - Fax: 800-999-3908 - Web: www.mcrcsafety.com

©2021 MCR Safety - All Rights Reserved



MCR
SAFETY

H1N FR Gear

Specification Sheet

Material Weight	7.0 oz.	ASTM F1506 Cert.	Yes
Flame Resistant	Yes	Hazard Risk Category	CAT2
Front Closure	Button		

Item No:	Chest	Sizing	Back Length	Sweep	Inseam	Color	Case Weight
H1NS	34-36	Regular	N/A	N/A	N/A	N/A	16.464
H1NM	38-40	Regular	N/A	N/A	N/A	N/A	17.808
H1NL	42-44	Regular	N/A	N/A	N/A	N/A	19.728
H1NXL	46-48	Regular	N/A	N/A	N/A	N/A	20.736
H1NX2	50-52	Regular	N/A	N/A	N/A	N/A	22.272
H1NX3	54-56	Regular	N/A	N/A	N/A	N/A	23.520
H1NX4	58-60	Regular	N/A	N/A	N/A	N/A	25.272
H1NX5	62-64	Regular	N/A	N/A	N/A	N/A	26.976