



NATIONAL
SAFETY APPAREL®

TECGEN FR Premium Vented Shirt



Specs

Product Code

- SHRT4TGV__ (Medium Blue)
- SHRT5TGV__ (Khaki)

Sizes

SM-3X, RG | LG-3X, TL

Stock Colors



Fabric / Material

6.5 oz. Westex® DH

Compliance

Arc Rating 8.9 cal/cm²

CAT Level CAT 2

Standards

- NFPA 70E
- NFPA 2112
- ASTM F1506
- CSA Z462
- OSHA 1910.269

Features

Features

- TEGGEN's patented, breathable vent shirts have industry leading comfort
- Premium two needle construction and anti-wrinkle technology in collar, flaps, center front, and cuffs for professional look
- Soft, super stretch mesh provides higher comfort and mobility verses others
- Dual utility ports on flaps for gear (PVD, gas, flashlight)
- Separate pen tunnel to isolate leaky pens
- Button down collar and adjustable cuffs
- Two chest pockets with flaps
- Inherently flame resistant, FR protection will not wash/wear out
- FR fabric will not melt, drip, or ignite
- Imported

Product Care

Product Care

- READ THE GARMENT LABEL AND LAUNDRER PER INSTRUCTIONS ON GARMENT LABEL.
- DO NOT use chlorine bleach or detergents containing bleach. DO NOT use fabric softeners or starch. DO NOT use any other laundry additives.
- Wash/Laundering Instructions: Wash separately from other garments. Machine wash warm (max. 150°F/65°C) with detergent only. Dry cleanable.
- Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.
- If contaminants cannot be removed after laundering, it is best to discontinue use of garment.

Sizing Chart

TECGEN® Vented Shirt (SHR_TGV)

Size	Chest	Center Back	Sleeve Length
SM	38" - 40"	32.5"	34.5"
MD	41" - 44"	33"	35"
LG	45" - 48"	33.5"	36"
XL	49" - 52"	34"	36.75"
2X	53" - 56"	34.5"	37.5"
3X	57" - 60"	35"	37.5"
4X	61" - 64"	35.5"	37.5"
5X	65" - 68"	36"	37.5"