


### **Womens TECGEN FR Work Shirt**











### Specs

Product Code

• TCGSSWN00112\_ \_ (Tan)

• TCGSSWN00115\_\_ (Grey)
• TCGSSWN00116\_\_ (Navy)

• TCGSSWN00119\_\_(Light Blue)

Sizes

SM-3X

Stock Colors



Fabric / Material

5.5 oz. TECGEN SELECT® OPF Blend Twill

# Compliance

Arc Rating	8 cal/cm <sup>2</sup>
CAT Level	CAT 2
Standards	<ul> <li>NFPA 70E</li> <li>NFPA 2112</li> <li>ASTM F1506</li> <li>CSA Z462</li> <li>OSHA 1910.269</li> </ul>

#### **Features**

Features	<ul> <li>FR fabric will not melt, drip, or ignite</li> <li>Dual certified to protect against flash fire and arc flash hazards</li> <li>Pen/pencil slot in front pocket</li> <li>Adjustable button cuff</li> <li>Feminine silhouette</li> <li>Banded, top-stitched, button down collar</li> <li>Inherently flame resistant, FR protection will not wash/wear out</li> <li>Lightweight, breathable fabric</li> <li>Unsurpassed moisture wicking and drying rate</li> <li>Two chest pockets with flaps</li> <li>Seven button front closure</li> <li>Imported</li> </ul>	
----------	--	--

#### **Product Care**

Product Care	<ul> <li>READ THE GARMENT LABEL AND LAUNDER PER INSTRUCTIONS ON GARMENT LABEL.</li> <li>DO NOT use chlorine bleach or detergents containing bleach. DO NOT use hydrogen peroxide. DO NOT use fabric softeners.</li> <li>Wash/Laundering Instructions: Dry Cleanable. Turn garment inside out prior to laundering. Machine wash warm (Max. 140°F / 60°C). Tumble dry warm.</li> <li>Wash according to the instructions above to remove any contaminants in order to maintain fabric performance when garment becomes soiled with dirt, greases, oils, etc.</li> <li>If contaminants cannot be removed after laundering, it is best to discontinue use of garment.</li> </ul>

# **Sizing Chart**

Women's TECGEN SELECT® Work Shirts			
Size	Chest	Sleeve Length	
SM	33" - 35"	30"	
MD	36" - 38"	31"	
LG	39" - 41"	32"	
XL	42" - 44"	33"	
2X	46" - 48"	33.5"	
3X	49" - 51"	34"	